






1 PROPOSED ELEVATION AT 3RD AVENUE
1/4" = 1'-0"



LEGEND

W#

WINDOW TAG

XXX
XX'-X"

ELEVATION TAG

1
A-501

SECTION TAG

REMOVAL SCOPE

GENERAL NOTES

A. GENERAL CONTRACTOR TO VERIFY ALL DIMENSIONS AND NOTIFY ARCHITECT OF RECORD OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION. ALL DIMENSIONS TO BE TAKEN FROM DESIGNATED DATUM POINT.

B. GENERAL CONTRACTOR TO PROVIDE FIRE TREATED WOOD STUD BLOCKING, OR EQUIVALENT TO SUPPORT ANY WALL ATTACHMENT AND OR SIGNAGE.

C. ALL DOORS TO PROVIDE 36" (915MM) MINIMUM CLEAR OPENING WHEN OPENED TO 90 DEGREE POSITION UNLESS OTHERWISE NOTED.

D. ALL DIMENSIONS ARE TO FINISHED FACE UNLESS SHOWN OR NOTED OTHERWISE.

E. GC TO PROVIDE SHOP DRAWINGS TO AOR FOR REVIEW AND APPROVAL PRIOR TO PURCHASE AND INSTALLATION.

F. WINDOW <W2> ARE TO BE INSTALLED AT ALL REAR EXISTING SEALED UP WINDOWS

G. WHERE SECURING OMEGALITE PANELS TO THE EXISTING BRICK FACADE, GC IS TO USE HIT-HY 270 ADHESIVE ANCHORS

KEYED NOTES

1 GC TO REMOVE EXISTING METAL PANELS FROM THE WINDOW OPENING. REPLACE WITH NEW WINDOWS AS INDICATED ON THE WINDOW SCHEDULE AND AS PER MANUFACTURER RECOMMENDATIONS. SEE DETAILS ON A-501.

2 GC TO REMOVE EXISTING LETTERS BUT KEEP EXISTING SIGNAGE AND MOUNTING.

3 GC TO REMOVE EXISTING FABRIC AWNING.

4 GC TO VERIFY CONDITIONS OF LINTELS AND REPLACE IF NECESSARY. ALL LINTELS SHOULD BE SANDED DOWN AND REPAINTED WITH RUSTOLEUM® STOP RUST® ADVANCED CLEAR PROTECTIVE ENAMEL.

5 GC TO CONFIRM PITCH IS MAINTAINED AT EXISTING SILLS TO SHED WATER AWAY FROM THE BUILDING.

6 NEW LOUVER WITHIN NEW STOREFRONT SYSTEM.

7 NEW 4'X8' OMEGA-LITE PANELS TO BE CUT IN FIELD AND INSTALLED ALONG FIRST FLOOR AND SECOND FLOOR, THIRD AVENUE FACADE. ALIGN SEAMS WITH BUTT GLAZING AND WINDOW OPENING FRAMING PER ELEVATION ON THIS SHEET. INSTALLED PER MANUFACTURER'S SPECIFICATIONS. SEE DETAILS ON A-502. USE HIT-HY 270 TO SECURE TO BRICK. MATCH EXISTING BLACK STOREFRONT. USE LAMINATORS INC. APPROVED CAULK, BLACK.

WINDOW SCHEDULE

SEE DETAILS ON A-501

TAG	SIZE (W x H)	MANUF.	REMARKS
W1	±8'-5" x ±7'-1"	PELLA®	(12) IMPERVIA® AWNING / FIXED 4 WAY JOINTS - BLACK FINISH
W2	VIF	PELLA®	IMPERVIA® DOUBLE HUNG - BLACK FINISH (REAR FACADE)
W3	VIF	KAWNEER®	TRIFAB™ 451UT, AIR LEAK MAX 0.06cfm/ft² U-FACTOR = 0.32 (low-e) - BLACK FINISH

STOREFRONT DETAIL AT 3RD AVENUE

1" = 1'-0"

INfill WINDOW DETAIL @ 3RD AVENUE

1" = 1'-0"

ISSUE DATE: 1
ISSUE FOR/REVISION: INITIAL ALT 2 DOB FILING
DATE: 06/10/21

These plans and specifications, as well as "New York Design Architects, LLP" name and logo, trademarks and designs are the exclusive property of New York Design Architects, LLP. Any reproduction, modification, disclosure and/or use of these materials (or any portion of them) without prior written consent is strictly prohibited. Contractor and/or subcontractor shall not scale off these drawings for any reasons. The architect/engineer of record take no responsibility for work being performed by scaling off drawings. All dimensions shall be laid out in accordance to building dept. approved drawings. Any discrepancies with field dimensions and dimensions indicated on approved drawings shall be made aware to the architect/engineer of record, prior to commencement of work. Commencement of work indicates acceptance of all components indicated on approved drawings. This document is protected under title 17 US code, any alterations by any persons other than the author of such document is illegal and subject to prosecution. [2018.10.17]

CLIENT: AVNER LEVY

new york design ARCHITECTS, LLP

NOT FOR CONSTRUCTION

GIUSEPPE R. ANZALONE, A.I.A.
175 West Broadway, New York, NY 10013
tel: (212) 680-0140 fax: (212) 658-9548
www.newyorkdesign.com

ADDRESS: 2929 3rd Avenue
Bronx, NY 10455

PROJECT #: 21056
DATE: 06.10.2021

PARTNER IN CHARGE: GA
PROJECT MANAGER: JD
DRAWN BY: MS

DRAWING NAME: PROPOSED FRONT ELEVATION

PAGE #: A-200.00
DOB PAGE#: 5 of 8

DOB APPROVAL(S):

DOB NOW JOB #: